



**BUREAU
VERITAS**

CONSUMER PRODUCTS SERVICES DIVISION

99 CENTS ONLY STORES

Technical Report: (8510)081-0142
Date Received: March 22, 2010

March 30, 2010
Page 1 of 11

PETULAR HO
CREATIVE SOURCING LTD
FLAT 603, 6/F, FOOK HONG IND BLDG
19 SHEUNG YUET ROAD
KOWLOON BAY
KOWLOON
HONG KONG

Sample Description:	PRINCESS HANDBAG	Sample Size:	6
Vendor:	CREATIVE SOURCING LTD	Style No(s):	557260
Manufacturer:	HUIDONG COUNTRY BAI HUA FU DA PLASTIC TOYS FTY.	SKN/SKU No.:	557260
Buyer:	N/A	PO No.:	5231854
Labeled Age Grade:	NOT PRESENT	Ref #:	N/A
Appropriate Age Grade:	OVER 3 YEARS OF AGE	Country of Origin:	CHINA
Client Specified Age Grade:	NOT SPECIFIED	Assortment No.:	N/A
Tested Age Grade:	OVER 3 YEARS OF AGE	Protocol No.:	CTON-8444-US
UPC Code:	876416064727		CTON-8000-US
			CPSD-06572-US
Place of Manufacture:	HUIDONG, GUANGDONG, CHINA	Date of Manufacture:	MARCH / 01 / 2010
Date of Testing:	MARCH 30, 2010		

EXECUTIVE SUMMARY:

The sample(s) MEET the following requirement(s):

- The flammability requirements of 16 CFR 1500.3(c)(6)(vi), "Flammable solid" (FHSA regulations).
- The labeling requirements of ASTM F963-08, "Standard consumer safety specification for toy safety".
- The mechanical hazards requirements of ASTM F963-08, "Standard consumer safety specification for toy safety".
- The soluble heavy metals content requirements of ASTM F963-08, "Standard Consumer Safety Specification for Toy Safety," Section 4.3.5.2.
- The total lead content requirements in toys and child care articles according to the California Proposition 65 settlements of Alameda Superior Court, BG07350969, RG08378050 and San Francisco Superior Court 07-462991.
- The BBP, DBP, DEHP, DnHP and DIDP content requirements in toys, child care articles and watches according to the California Proposition 65 settlements of County of Sacramento case number 07AS04683, and the Alameda Superior Court case numbers BG07350969, RG08367601, RG07351032 and RG08378050.
- The BBP, DBP & DEHP content requirements by composite testing of the Consumer Product Safety Improvement Act (CPSIA) of 2008 Sec. 108(a) Prohibition On Sale of Certain Products Containing Specified Phthalates.
- The DNOP, DIDP & DINP content requirements by composite testing of the Consumer Product Safety Improvement Act (CPSIA) of 2008 Sec. 108(b)(1) Prohibition On Sale of Certain Products Containing Specified Phthalates.

Bureau Veritas Hong Kong Limited
Kowloon Bay Office
1/F Pacific Trade Centre, 2 Kai Hing Road,
Kowloon Bay, Kowloon, Hong Kong
Tel (852) 2331 0888 Fax: (852) 2331 0889
www.bureauveritas.com/cps

This report is governed by, and incorporates by reference, the Conditions of Testing as posted at the date of issuance of this report at <http://www.bureauveritas.com/cps> and is intended for your exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our prior written permission. The report sets forth our findings solely with respect to the test samples identified herein. The results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. Our report includes all of the tests requested by you and the results thereof based upon the information that you provided to us. You have 60 days from date of issuance of this report to notify us of any material error or omission caused by our negligence, provided, however, that such notice shall be in writing and shall specifically address the issue you wish to raise. A failure to raise such issue within the prescribed time shall constitute your unqualified acceptance of the completeness of this report, the tests conducted and the correctness of the report contents.



99 CENTS ONLY STORES
Technical Report: (8510)081-0142
March 30, 2010
Page 2 of 11

EXECUTIVE SUMMARY:

The sample(s) MEET the following requirement(s):

- The total lead content of 300ppm requirements by composite testing in substrate materials (Consumer Products Safety Improvement Act (CPSIA) of 2008).
- The total lead content of 90ppm requirements of 16 CFR 1303, "Ban of lead-containing paint and certain consumer products bearing lead-containing paint" as mandated by Congress in section 101(f) of the Consumer Products Safety Improvement Act (CPSIA) of 2008, Public Law 110-314. **
- The tracking label requirement of the Consumer Product Safety Improvement Act (CPSIA) of 2008 section 103 Tracking Labels for Children's Products.
- The performance requirement of client's specification.

Note: The sample(s) was not evaluated to the Normal Use testing requirements specified in ASTM F963-08, Section 8.5. It is the responsibility of the manufacturer, vendor or distributor to conduct tests that will simulate normal use conditions. These tests shall ensure that hazards are not generated through normal wear and deterioration of the sample(s). These tests shall also simulate the normal play mode of the toy and to simulate the expected mode of use of the particular toy. The tests shall be conducted in an expected use environment. These normal use tests shall simulate the intended use of the toy based on its estimated lifetime.

Note: No street address for the manufacture packer or distributor was provided Street address is require per FPLA UPLR unless it can be found in a local city or telephone direction the presence of the street address in a local directory has not been verified.

BUREAU VERITAS HONG KONG LIMITED

Wendy Cha

Wendy Cha
Manager
Toys And Juvenile Products Department

WC/jy

cc: CONNIE BOWMAN, 99 CENTS ONLY STORES

**This third party report was issued to certify the tested product(s) complied with this rule, ban, standard, or regulation.



99 CENTS ONLY STORES
Technical Report: **(8510)081-0142**
March 30, 2010
Page 3 of 11

RESULTS:

APPROPRIATE AGE GRADE DETERMINATION

The Appropriate Age Grade is determined with reference to the Age Determination Guidelines of the Consumer Product Safety Commission (CPSC); and the ASTM F963-08, "Standard Consumer Safety Specification on Toy Safety". Annex A1

Note : The most stringent age grade from the Labeled Age Grade and the Appropriate Age Grade will be used for testing.

Note : If the client does not specify an age grade for testing or request Bureau Veritas Consumer Products Services, Inc. to determine an appropriate age grade, the labeled age grade will be used for testing.

USE AND ABUSE TESTS

The samples were undergo the tests in accordance with section 8.6 through 8.16, whichever is applicable

Test	Test Parameters	Standard Reference
Impact Test	4 x 3 ft	1500.53(b)
Torque Test	4 in-lbs	1500.53(e)
Tension Test	15 lbs	1500.53(f)
Compression Test	30 lbs	1500.53(g)



RESULTS:

PHYSICAL AND MECHANICAL HAZARDS (ASTM F963-08)

Section	Requirement	Result
4.1	Material Quality	M
4.3.7	Stuffing Materials – Visual Inspection	N/A
4.5	Sound-Producing Toys	N/A
4.6	Small Objects	N/A
4.7	Accessible Edges	M
4.8	Projections	N/A
4.9	Accessible Points	M
4.10	Wires and Rods	N/A
4.11	Nails and Fasteners	N/A
4.12	Packaging Film	N/A
4.13	Folding Mechanisms and Hinges	N/A
4.14	Cords, Straps and Elastics	N/A
4.15	Stability and Over-Load Requirements	N/A
4.16	Confined Spaces	N/A
4.17	Wheels, Tires, and Axles	N/A
4.18	Holes Clearances, and Accessibility of Mechanisms	N/A
4.19	Simulated Protective Devices	N/A
4.20	Pacifiers	N/A
4.21	Projectile Toys	N/A
4.22	Teethers and Teething Toys	N/A
4.23	Rattles	N/A
4.24	Squeeze Toys	N/A
4.25	Battery-Operated Toys (exclude section 4.25.10 Battery-powered ride-on toys)	N/A
4.26	Toys Intended to be Attached to a Crib or Playpen	N/A
4.27	Stuffed and Beanbag-Type Toys	N/A
4.30	Toy Gun Marking	N/A
4.32	Certain Toys with Spherical Ends	N/A
4.34	Small Balls	N/A
4.35	Pompoms	N/A
4.36	Hemispheric-Shaped Objects	N/A
4.37	Yo Yo Elastic Tether Toys	N/A
4.38	Magnets	N/A
4.39	Jaw Entrapment in Handles and Steering Wheels	N/A

M = Meet NM = Not Meet N/A = Not Applicable R = Refer to Comment Section



RESULTS:

LABELING AND INSTRUCTIONAL REQUIREMENT (ASTM F963-08)

Section	Requirement	Result
Safety Labeling Requirements		
5.4 & 5.3	Aquatic Toys	N/A
5.5 & 5.3	Crib and Playpen Toys	N/A
5.6 & 5.3	Mobiles	N/A
5.7 & 5.3	Stroller and Carriage Toys	N/A
5.8 & 5.3	Toys Intended to be Assembled by an Adult	N/A
5.9 & 5.3	Simulated Protective Devices	N/A
5.10 & 5.3	Toys with Functional Sharp Edges and Sharp Points	N/A
5.11	Small Objects, Small Balls, Marbles and Balloons (16 CFR 1500.19)	N/A
5.12	Toy Caps (16 CFR 1500.86 for Required Labeling)	N/A
5.13	Art Materials (16 CFR 1500.14(b)(8))	N/A
5.15	Battery-Operated Toys	N/A
5.15.1 & 5.3	Battery-Powered Ride-On Toys	N/A
5.16	Promotional Materials	M
5.17 & 5.3	Magnets	N/A
Instructional Literature		
6.1	Definition and Description	M
6.2	Crib and Playpen Toys	N/A
6.3	Mobiles	N/A
6.4 & 5.3	Toys Intended to be Assembled by an Adult	N/A
6.5.1-2	Battery-Operated Toys	N/A
6.5.3	Battery-Powered Ride-On Toys	N/A
6.6	Toys in Contact with Food	N/A
Producer's Markings		
7.1	Producer's Name and Address	M
7.2	Battery-Powered Ride-on Toys	N/A

M = Meet NM = Not Meet N/A = Not Applicable R = Refer to Comment Section

FLAMMABILITY (16 CFR SECTION 1500.3(c)6)(vi))

Requirement	Test Method Reference	Findings
Burn rate no greater than 0.1 of an inch per second	16 CFR 1500.44	Ignited but Self-Extinguished.



RESULTS:

TOTAL LEAD CONTENT IN SURFACE COATING BY COMPOSITE TESTING ("Ban of Lead-containing paint and certain consumer products bearing Lead-containing paint", Consumer Product Safety Improvement Act (CPSIA) of 2008)

Element:			Lead			
Requirement: Maximum allowable limit:			90 mg/kg			
Sample Description			Result (mg/kg)		Conclusion	
	Color / Component	Location	Style	Overall	Potential	
(A)	Shiny silver coating	Bag		LT 10	-	PASS

LT = Less Than

* = Average of duplicate analyses

mg/kg = milligrams per kilogram (ppm=parts per million)

Potential = Estimated lead content per component is based on calculation by component individual weight

SOLUBLE HEAVY METALS CONTENT (ASTM F963-08, Section 4.3.5.2)

Test Method: Soluble heavy metals content analysis was determined by Inductively Coupled Plasma Spectrometry.

Sample Identity	Color / Component	Location	Style
A	Shiny silver coating	Bag	

Analyte	As	Ba	Cd	Cr	Hg	Pb	Sb	Se
Maximum Limit (mg/kg)	25	1000	75	60	60	90	60	500
Analytical Correction	60%	30%	30%	30%	50%	30%	60%	60%

Analyte	As	Ba	Cd	Cr	Hg	Pb	Sb	Se	Mass of Trace Amount	Conclusion
Sample	Result (mg/kg)								(g)	
A	LT 2	12	LT 2	LT 2	LT 2	LT 2	LT 2	LT 2		PASS

LT = Less Than

CR = adjusted analytical result

mg/kg = milligrams per kilogram (ppm=parts per million)

* = Average of duplicate analysis

As = Arsenic, Ba = Barium, Cd = Cadmium,

Cr = Chromium, Hg = Mercury, Pb = Lead,

Sb = Antimony, Se = Selenium



RESULTS:

TOTAL LEAD CONTENT IN TOYS AND CHILD CARE ARTICLES (California Proposition 65 settlements of Alameda Superior Court BG07350969, RG08378050, San Francisco Superior Court 07-462991)

Test Method: Acid digestion followed by Atomic Absorption Spectrophotometry or Inductively Coupled Plasma Spectrometry

		Maximum allowable limit	
Analyte		Lead	
Type 1	All product except baby bibs (PVC)	200 mg/kg	
Type 2	All product except baby bibs (non PVC)	600 mg/kg	
Type 3	Baby bibs	200 mg/kg	

Analyte			Lead (Pb)	Conclusion
Sample Description			Result (mg/kg)	
Color / Component	Location	Style		
Type 2: All product except baby bibs (non PVC)				
(A)	Translucent plastic	Bag	LT 10	PASS

LT = Less Than

mg/kg = milligrams per kilogram (ppm=parts per million)

* = Average of duplicate analyses

TOTAL LEAD CONTENT IN SUBSTRATE BY COMPOSITE TESTING (300PPM) (Consumer Product Safety Improvement Act (CPSIA) of 2008)

Analyte	Lead
Requirement: Maximum allowable limit:	300 mg/kg

Analyte			Lead (Pb)	Conclusion
Sample Description			Result (mg/kg)	
Color / Component	Location	Style		
(A)	Translucent plastic	Bag	LT 10	PASS

LT = Less Than

mg/kg = milligrams per kilogram (ppm=parts per million)

* = Average of duplicate analyses

RESULTS:

**PHthalates CONTENT IN CHILDREN'S TOYS AND CHILDCARE ARTICLES BY COMPOSITE TESTING
 (Consumer Product Safety Improvement Act (CPSIA) of 2008 Sec. 108(a) Prohibition On Sale of Certain
 Products Containing Specified Phthalates - BBP / DBP / DEHP CONTENT)**

Sample Identity	Color / Component	Location	Style
A	Shiny silver coating	Bag	

Analyte:	BBP	DBP	DEHP
Limit (%):	0.1	0.1	0.1

Analyte	BBP	DBP	DEHP	Conclusion
Sample	Result (%)			
A	LT 0.005	LT 0.005	LT 0.005	PASS

Detection Limit :

<i>BBP</i> = Butyl benzyl phthalate (0.005%)	<i>Results reported in percentage</i>
<i>DBP</i> = Dibutyl phthalate (0.005%)	<i>LT</i> = Less than
<i>DEHP</i> = Di(2-ethylhexyl) phthalate (0.005%)	<i>ND</i> = None detected

**BBP/DBP/DEHP/DnHP/DIDP PHTHALATES CONTENT REQUIREMENTS IN TOYS, CHILD CARE ARTICLES
 AND WATCHES (California Proposition 65 settlements of County of Sacramento case number 07AS04683,
 and the Alameda Superior Court case numbers BG07350969, RG08367601, RG07351032 and RG08378050)**

Sample Identity	Color / Component	Location	Style
A	Shiny silver coating	Bag	

Analyte:	BBP	DBP	DEHP	DnHP	DIDP
Limit (%):	0.1	0.1	0.1	0.1	0.1

Analyte	BBP	DBP	DEHP	DnHP	DIDP	Conclusion
Sample	Result (%)					
A	LT 0.005	LT 0.005	LT 0.005	LT 0.005	LT 0.005	PASS

Detection Limit :

<i>BBP</i> = Butyl benzyl phthalate (0.005%)	<i>Results reported in percentage</i>
<i>DBP</i> = Dibutyl phthalate (0.005%)	<i>LT</i> = Less than
<i>DEHP</i> = Di(2-ethylhexyl) phthalate (0.005%)	<i>ND</i> = None detected
<i>DnHP</i> = Di-n-hexyl phthalate (0.005%)	
<i>DIDP</i> = Di-iso-decyl phthalate (0.005%)	



RESULTS:

PHthalATES CONTENT IN CHILDREN'S TOYS AND CHILDCARE ARTICLES BY COMPOSITE TESTING
 (Consumer Product Safety Improvement Act (CPSIA) of 2008 Sec. 108(b)(1) Prohibition On Sale of Certain Products Containing Specified Phthalates - DNOP / DINP / DIDP CONTENT)

Sample Identity	Color / Component	Location	Style
A	Shiny silver coating	Bag	

Analyte:	DNOP	DINP	DIDP
Limit (%):	0.1	0.1	0.1

Analyte	DNOP	DINP	DIDP	Conclusion
Sample	Result (%)			
A	LT 0.005	LT 0.005	LT 0.005	PASS

Detection Limit :

DNOP = Di-n-octyl phthalate (0.005%)
 DINP = Di-iso-nonyl phthalate (0.005%)
 DIDP = Di-iso-decyl phthalate (0.005%)

Results reported in percentage
 LT = Less than
 ND = None detected



RESULTS:

**99 CENT ONLY STORE TEST PROTOCOL FOR
 CTON-0800-US
 Toys (ASTM F963-08)**

Evaluation	Citation/Method	Criteria	Rating
PERFORMANCE			
Function	Per instruction or intended use	Shall function as intended	M
*Claim verification - Level 2	CPSD-HL-08612-MTHD / Claim verification	Examine the retail packaging (or submitted artwork). Record each objective (factual) claim which can be substantiated by the testing within this protocol and rate accordingly. Any net quantity/dimensional claims evaluated in other sections of this protocol need not be recorded. Record all other objective (factual) and subjective (opinion) claims as "NT" for Not Tested and rate as "FAIL".	NA
*Resistance To Corrosion (Metal Components)	ASTM B117 (Mod.)	Withstand 24 hours in 1% salt spray (fog) with no major corrosion or visual change. Modification = 1% salt (fog) spray.	NA
*Air Leakage For Inflatable	Per Criteria	Inflatable shall be evaluated for air leakage for duration of one hour.	NA
*Dishwasher Claim Verification	Per Criteria	Items containing a dishwasher safe claim will be subjected to 5 normal cycles and evaluated for any color change, warping, breaking, leaking or other defects.	NA
*Microwave Claim Verification	Per Criteria	Items containing a microwave safe claim will be subjected to 10 normal cycles and evaluated for any color change, warping, breaking, leaking or other defects.	NA
*Freezer Claim Verification	Per Criteria	Items containing a freezer safe claim will be subjected to 3 freeze/thaw cycles and evaluated for any color change, warping, breaking, leaking or other defects.	NA

IMPORTANT NOTE: The information presented under the "Criteria" of this protocol is for information only and does not replace the content of the standard. Details of the requirements should be referred to the original standards.

Rating Key:

M	Meets	NM	Does Not Meet
NA	Not Applicable	NR	Not Requested
*	Additional Charge For This Test		



RESULTS:

Testing Parameter	Age (Months)	Abuse Test Conditions
Drop Test	0 to ≤18	4.5 ft (1.37 m), 10 drops
	>18 to ≤36	3 ft (0.91 m), 4 drops
	>36 to ≤96	3 ft (0.91 m), 4 drops
Torque Test	0 to ≤18	2 in - lb (0.23 N - m)
	>18 to ≤36	3 in - lb (0.34 N - m)
	>36 to ≤96	4 in - lb (0.45 N - m)
Tension Test	0 to ≤18	10 lb (44.5 N)
	>18 to ≤36	15 lb (66.8 N)
	>36 to ≤96	15 lb (66.8 N)
Compression Test	0 to ≤18	20 lb (89 N)
	>18 to ≤36	25 lb (111.3 N)
	>36 to ≤96	30 lb (133.5 N)

No. of samples required for complete testing:	
Toys and Hardgoods (case by case for assortments)	3
Metal Components (For Resistance to Corrosion Test)	1
Dinnerware, Mugs, Pitchers, etc (decorated lip/rim)	12 (18)
Product contain Fiber Content	1 additional
Product contain Care Label	Minimum additional 2 pcs and 1 additional pc for each care instruction
No. of working days for complete testing	5

Creation Date: 06-18-08
 Editorial Revision Date: 03-03-10
 Pricing Review Date: 08-12-09
 Technical Review Date: 08-12-09
 Revision No: 8



**BUREAU
VERITAS**

**BUREAU VERITAS TEST PROTOCOL FOR
CPSD - 06572 - US
CALIFORNIA PROPOSITION 65 (V32)**

BV Lab Number: (8510)081-0142
Technician Name: /
Test Date: March 30, 2010
Reviewed: /
By/Date: /

Evaluation	Citation / Method	Criteria	Results	Rating
<p>1. Phthalates content in toys, child care articles and watches</p>	<p>Sacramento Superior Court. 07AS04683 / Alameda Superior Court. BG07350969. RG08367601. RG07351032 and RG08378050 / Solvent extraction, GC-MS/LC-MS analysis</p>	<p>[Toys, Child Care Articles and Watches]</p> <p>Product shall not contain more than 0.1% (1000 ppm) of each of DEHP, BBP, DBP, DIDP and DnHP.</p> <p>Labeling is not allowed by the Consent Judgment.</p> <p>Reformulation of product is required.</p> <p>Note:</p> <ul style="list-style-type: none"> - Toys are defined as products designed to be used by children under 6 years of age when they play (e.g., toy balls, bats, and gloves, bath toys). - Child care articles are defined as products designed to facilitate sleep, relaxation, grooming, hygiene, or feeding of children under 3 years of age, or to help children under 3 years of age with sucking or teething (e.g., sipper bottles, baby bibs, art smocks). <p>For toys and child care articles:</p> <ul style="list-style-type: none"> - Actual testing will be conducted on accessible high risk plastics, coatings, toy nail polish, reusable packaging and inaccessible plastic wires for electronics as conducted for CPSIA (refer to CPSIA protocol 8444-US for additional information). Will composite up to 3 like materials. - Vendor is responsible for compliance of all other materials. The CPSC Draft Guidance document will be used to determine applicable products. <p>For watches:</p> <ul style="list-style-type: none"> - Actual testing will be conducted on PVC components only. 	<p>M</p>	<p>Pass</p>



**BUREAU
VERITAS**

**BUREAU VERITAS TEST PROTOCOL FOR
CPSD - 06572 - US
CALIFORNIA PROPOSITION 65 (V32)**

BV Lab Number: (8510)081-0142
 Technician Name: /
 Test Date: March 30, 2010
 Reviewed: /
 By/Date: /

Evaluation	Citation / Method	Criteria	Results	Rating
* 2. Total lead content in toys and child care articles	Alameda Superior Court, BG07350969 and RG08378050 / San Francisco Superior Court, 07-462991 / EPA 3051A modified	<p>[Toys and Child Care Articles]</p> <p>Product shall comply the following requirement:</p> <p>a. PVC component shall not contain more than 200 ppm (0.02%) total lead content. and b. Non-PVC component shall not contain more than 600 ppm (0.06%) total lead content. and c. Baby bibs shall not contain more than 200 ppm (0.02%) total lead content.</p> <p>Labeling is not allowed by the Consent Judgment.</p> <p>Reformulation of product is required.</p> <p>Note: - Toys are defined as products designed to be used by children under 6 years of age when they play (e.g., toy balls, bats, gloves, fake teeth and bath toys). - Child care articles are defined as products designed to facilitate sleep, relaxation, grooming, hygiene, or feeding of children under 3 years of age, or to help children under 3 years of age with sucking or teething (e.g., sipper bottles, baby bibs, art smocks). - Composite up to 3 materials (as under CPSIA). If the composite result exceeds the adjusted limit (regulatory limit divided by the number of composites), individual materials will be analyzed. - Materials exempted from testing under CPSIA (e.g., textiles) will not be tested. The vendor is responsible for compliance of untested materials</p>	M	Pass

Key:
 * Additional Charge For This Test
 ** Mandatory Requirement
 # By Request Only

Result Key:
 C Claimed
 R Recorded
 M Meets
 NM Does Not Meet
 NA Not Applicable
 NT Not Tested



**BUREAU
VERITAS**

BUREAU VERITAS TEST PROTOCOL FOR
CPSD - 06572 - US
CALIFORNIA PROPOSITION 65 (V32)

BV Lab Number: (8510)081-0142
Technician Name: /
Test Date: March 30, 2010
Reviewed: /
By/Date: /

Page 3 of 3

Rating Key:

PASS Pass
FAIL Fail

No. Of Samples Required for Complete Testing	6	See below pricing chart for exceptions
No. Of (Fully Packed) Cartons For Transit Testing:	1	
No. Of Working Days For Complete Testing:	7	

Client Approval: /
Creation Date: FEBRUARY 24, 2004
Last Revision Date: FEBRUARY 24, 2010
Pricing Review Date: DECEMBER 01, 2005
Technical Review Date: